

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6384	370/331	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/07/02 12:41
L2	10170	370/335	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/07/02 12:41
L3	1655	L1 and L2	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/07/02 12:41
L4	377	((detect\$4 or recogniz\$4) adj6 (multi or multiple) adj8 (packet adj5 link or connection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/07/02 12:41
L5	0	L1 and L2 and L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/07/02 12:41
S1	1	"20040063431"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/31 13:09
S2	1	"7110377"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/12 15:36
S3	93	dormant near2 handoff	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/12 15:38
S4	6	(dormant near2 handoff) near10 cdma2000	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/12 15:37
S5	61	(dormant near2 handoff) and cdma2000	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/12 16:03

EAST Search History

S6	13	(dormant near2 handoff).ab,ti.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/12 16:03
S7	3928	370/331	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/15 12:09
S8	4588	455/436	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/15 12:10
S9	3928	370/331	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/15 12:10
S10	7467	370/335	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/15 12:10
S11	7275	370/342	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/15 12:11
S12	459	(dormant or idle or inactive) adj (handoff or handover or (hand adj off) or (hand adj over))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/15 12:14
S13	302	((dormant or idle or inactive) adj (handoff or handover or (hand adj off) or (hand adj over))) and (cdma2000 or (data near2 packet))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/15 12:18
S14	15157	S7 or S8 or S9 or S10 or S11	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/15 12:15
S15	122	S14 and S13	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/15 12:15
S16	11	((((dormant or idle or inactive) adj (handoff or handover or (hand adj off) or (hand adj over)))) and (cdma2000 or (data near2 packet))).ab,ti.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/15 12:27
S17	52	((((dormant or idle or inactive) adj (handoff or handover or (hand adj off) or (hand adj over))))).ab,ti.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/15 12:28

EAST Search History

S18	3	(cell adj (selection or reselection)) with cdma2000	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/15 12:32
S19	208	(mobility with (cdma2000 or (packet near3 data near3 network)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/15 12:33
S20	23	((mobility with (cdma2000 or (packet near3 data near3 network))))).ab,ti.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/15 12:33
S21	14	(mobility with (cdma2000 or (packet near3 data near3 network))) and ((dormant or idle or inactive) adj (handoff or handover))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/15 12:34
S22	8	("20020055364" "20020068570" "6061563" "6219547" "6230005" "6487406" "6580699" "6708031").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/15 12:39
S23	46	(dual) near3 (cdma) near5 gsm	US-PGPUB; USPAT; USOCR	OR	OFF	2007/03/23 22:46
S24	737	(traffic adj (channel or frequency)) near10 (handoff or handover or (hand adj off) or (hand adj over))	US-PGPUB; USPAT	OR	OFF	2007/03/29 17:03
S25	30	((traffic adj (channel or frequency)) near10 (handoff or handover or (hand adj off) or (hand adj over))) same (cdma2000 or (packet adj data))	US-PGPUB; USPAT	OR	OFF	2007/03/29 17:04
S26	428	(control signal) near5 over near5 (traffic adj channel)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/31 13:15
S27	0	((handoff or handover) adj signal) near5 over near5 (traffic adj channel)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/31 13:11
S28	0	((handoff or handover) near3 signal) near5 over near5 (traffic adj channel)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/31 13:11
S29	27	((handoff or handover) near3 signal) near5 (traffic adj channel)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/31 13:11
S30	18	(control adj signal) near5 over near5 (traffic adj channel)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/31 13:20

EAST Search History

S31	343	((transmit\$4 or send\$4 or sent) near4 request) near5 (traffic adj channel)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/31 13:21
S32	20	((transmit\$4 or send\$4 or sent) near4 request) near5 (over adj3 (traffic adj channel))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/31 15:38
S33	1	"20040063431"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/31 15:41
S34	23	((previous or prior) near3 ((hard adj (handoff or handover)) or HHO)) and ((cdma2000 or (packet adj data)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/03/31 15:46
S35	7	((previous or prior) near3 ((hard adj (handoff or handover)) or HHO)) same ((cdma2000 or (packet adj data)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/04/01 15:14
S36	0	(retain\$4 or obtain\$4) adj4 (prior or previous) adj5 (handoff or handover) adj3 (information or data)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/04/01 15:16
S37	8	(retain\$4 or obtain\$4) adj4 (prior or previous) adj5 (handoff or handover)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/04/01 15:16
S38	1	"20040105400"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/24 15:48
S39	98	dormant near (handoff or handover or (hand adj over) or (hand adj off))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/24 15:48
S40	172	dormant near10 (handoff or handover or (hand adj over) or (hand adj off))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/24 15:49
S41	30	(dormant near10 (handoff or handover or (hand adj over) or (hand adj off))).ab,ti.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/24 15:52
S42	26	dormant adj timer	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/24 16:35

EAST Search History

S43	1	"20040105400"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/24 17:03
S44	1	"20040063431"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2007/09/24 17:03
S45	1	"7110377"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/01/25 16:46
S46	1	"20050094601"	US-PGPUB; USPAT	OR	OFF	2008/01/28 13:57
S47	1	"20040105400"	US-PGPUB; USPAT	OR	OFF	2008/01/28 13:57
S48	3	(dormant near4 (handoff or handover or (hand adj off) or (hand adj over))) near10 ((multiple or multi) near5 instance)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/02/19 09:48
S49	20	(dormant near4 (handoff or handover or (hand adj off) or (hand adj over))).ab.ti.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/02/19 10:13
S50	4	(counting near6 (handoff or handover or (hand adj off) or (hand adj over))) near3 (request or initiation)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/02/19 10:16
S51	117221	"345"/\$	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/02/19 11:34
S52	163	((display\$4 or screen\$4) near5 monitor\$4) near10 (network near7 status)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/02/19 11:35
S53	37	S51 and S52	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/02/19 11:35
S54	126	S52 not S53	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/02/19 11:40
S55	261	((display\$4 or screen\$4) near5 monitor\$4) near10 (network near7 (component or element or node or satellite or tower or antenna or ap or bs or (access adj point) or (base adj station)))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/02/19 11:51

EAST Search History

S56	248	S55 not S54	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/02/19 11:52
S57	14	((display\$4 or screen\$4) near5 monitor\$4) near10 (network near7 (satellite))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/02/19 12:11
S58	2	"20030063584"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/05/21 13:37
S59	62	"6026086"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/05/21 13:38
S60	2	"20040109423"	US-PGPUB; USPAT	OR	OFF	2008/05/21 19:23
S61	2458	service adj instance	US-PGPUB; USPAT	OR	ON	2008/05/21 19:25
S62	13	S61 same (dormant near (handoff or (hand adj over) or (cell near select\$4)))	US-PGPUB; USPAT	OR	ON	2008/05/21 19:26
S63	43	(dormant adj handoff) same ((base adj station) or bs)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/06/16 19:10
S64	25	(dormant adj handoff) same ((base adj station))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/06/16 19:11
S65	1	(dormant adj handoff) same ((base adj station) near10 (instance))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/06/16 19:16
S66	3390	((base adj station) near10 (instance))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/06/16 19:19
S67	11	((base adj station) near10 (instance)) and (dormant adj handoff)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2008/06/16 19:20
S68	82	((traffic or voice) adj (frequency or link or channel)) near6 ((handoff or handover or (hand adj off) or (hand adj over)) adj3 request)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/07/01 13:28
S69	8	((traffic or voice) adj (frequency or link or channel)) near6 ((handoff or handover or (hand adj off) or (hand adj over)) adj3 request) and CDMA2000	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/07/01 13:29

EAST Search History

S70	1	additional adj4 (dormant adj2 (handoff or handover))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/07/01 13:41
S71	13	(dormant adj2 (handoff or handover)) near10 instances	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2009/07/01 13:42
S77	314	((detect\$4 or recogniz\$4) adj6 (multi or multiple) adj8 instances	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/07/02 09:21
S78	1	((detect\$4 or recogniz\$4) adj6 (multi or multiple) adj8 instances) same (dormant adj5 (handoff or handover))	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/07/02 09:22
S79	1	((detect\$4 or recogniz\$4) adj6 (multi or multiple) adj8 instances) and (dormant adj5 (handoff or handover))	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/07/02 09:22
S80	2	((detect\$4 or recogniz\$4) adj6 (multi or multiple) adj8 (packet adj5 instances))	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/07/02 09:23
S81	1	((connect\$4 or (handoff or handover or (hand\$3 adj over) or (hand\$3 adj off))) adj6 (multi or multiple) adj8 (packet adj5 instances))	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/07/02 09:24
S82	62	((multi or multiple) adj8 (packet adj5 instances))	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/07/02 09:25
S83	1351	((detect\$4 or recogniz\$4 or hav\$3 or provid\$3) adj6 (multi or multiple) adj8 (packet adj5 link or connection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/07/02 09:27

EAST Search History

S84	377	((detect\$4 or recogniz\$4) adj6 (multi or multiple) adj8 (packet adj5 link or connection))	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/07/02 09:28
S85	2	((detect\$4 or recogniz\$4) adj6 (multi or multiple) adj8 (packet adj5 link or connection)) and (CDMA2000 or (dormand))	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/07/02 09:28
S86	2	((detect\$4 or recogniz\$4) adj6 (multi or multiple) adj8 (packet adj5 link or connection)) and (CDMA2000 or is2000 (dormand))	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/07/02 09:29
S87	3	"7190687"	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/07/02 09:35
S88	2	"20050237977"	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/07/02 09:40
S89	5	"6909899"	US-PGPUB; USPAT; USOCR; FPRS; EPO; IBM_TDB	OR	ON	2009/07/02 09:47